Item Barcode:

50048838

Attachment #1 INDUSTRIAL HAZARD WASTE FOLDER LEVEL

WST IHW #:	31108		
File Type:	CORRESPONDENCE		
Volume:	001		
Inclusive Dates:	1/1/2005 - 12/31/2006)	
Media	a Code/ Form		Microfiche
		\boxtimes	Roll Microfilm
		\times	Electronic Image

Files appearing on this roll of microfilm/ electronic image were filmed/ scanned as received and per instructions from the Texas Commission on Environmental Quality's Records Managemgent Coordinator, Kate Fitzpatrick.

Box Barcode:

µ 31108 **Texas Commission on Environmental Quality**

INTEROFFICE MEMORANDUM

To:

Central Records Files (MC - 199)

Date:

October 1, 2005 mgr concurrence 1/10/2006

Union Carbide Corporation - Brownsville

Solid Waste Registration No. 31108

Ata-ur-Rahman, Manager

Corrective Action Section, Remediation Division

DRB Donald Boothby, Supervisor

Team I, Corrective Action Section, Remediation Division

RECEIVED

From:

Maureen Hatfield, P.G., Project Manager

Team I, Corrective Action Section, Remediation Division

JAN 2 4 2006

Subject:

Documentation of achievement of facility-wide remedy selection and remedy

construction complete

EPA ID No. TXD008114092

Texas Hazardous Waste Permit No. HW-50318

Based on a file review, remedies have been selected for all units and areas of concern (AOCs) subject to RCRA/HSWA corrective action at the above-referenced facility. The RCRA milestone of facility-wide Remedy Decision (CA400)¹ has been achieved, based on the approval of the proposed remedy at Union Carbide Corporation's Brownsville main plant on April 23, 1996. Remedies had previously been selected for all other units and AOCs subject to corrective action at the facility.

In addition, the physical remedy construction has been completed facility-wide (CA550RC)². Achievement of this milestone is based on the approval of remedy completion at Union Carbide Corporation's Brownsville main plant on April 23, 1996. Remedy completion or construction had previously been approved for all other units and AOCs subject to corrective action at the facility. On May 26, 1996, Union Carbide received consent from the TCEQ on revocation of their Hazardous Waste Permit HW-50318.

The units and AOCs considered in this evaluation include:

RFI Units & AOCs subject to Corrective Action	Remedy Decision ¹	Approval of Remedy Construction/ Completion ²
AOC No. 1 Leaking Underground Storage Tank	11/13/1995 ³	11/13/1995 ³
AOC No. 2 Release from Tank 3202 Pump Station	07/27/1995 3	04/23/1996 ³
AOC No. 4 Maintenance Storage Area	07/27/1995 3	04/23/1996 3
AOC No. 5 Tank 5201	07/27/1995 3	04/23/1996 ³
Drainage Laterials	07/27/1995 ³	04/23/1996 ³
Facility 03 - Incinerator	05/18/1989 ³	04/23/1996 ³

TCEQ Solid Waste Registration No. 31108 Interoffice Memorandum dated October 1, 2005 Page 2

Facility 04 - Tank 3326	05/19/1987 ³	03/27/1989 3
Facility 05 - Tank 5211	05/20/1987 3	03/29/1989 3
General Facility Areas	07/27/1995 ³	04/23/1996 3
HWMU 01- Ball Mill Residue Basin- EPA approved clean closure	09/24/1993 ³	09/24/1993 3
Oily and Purple Soils	09/19/1994 ³	09/19/1994 3
Q107/Q114 Sumps	09/19/1994 3	09/19/1994 3
SA AB - Pumphouse Oil Separator Sump	07/27/1995 ³	04/23/1996 3
SA AD - Recovery Oil Separator Sump	07/27/1995 ³	04/23/1996 3
SA AE - Recovery Sump	07/27/1995 ³	04/23/1996 3
SA AF - Septic Tank No. 10	07/27/1995 ³	04/23/1996 3
SA AG - Septic Tank No. 15	07/27/1995 ³	04/23/1996 3
SA AH - Septic Tank No. 18	07/27/1995 ³	04/23/1996 3
SA AI - Septic Tank No. 19	07/27/1995 ³	04/23/1996 3
SA AJ - Septic Tank No. 21	07/27/1995 ³	04/23/1996 3
SA AK - Shipping Sump	07/27/1995 ³	04/23/1996 3
SA AM - Steel Mill Slag	07/27/1995 3	04/23/1996 3
SA AN - Surge Receiver	07/27/1995 ³	04/23/1996 3
SA AU - Tank 3211	07/27/1995 ³	04/23/1996 3
SA AV - Tank 3214	07/27/1995 ³	04/23/1996 3
SA AW - Tank 4226	07/27/1995 ³	04/23/1996 3
SA AY - Tank 4265	07/27/1995 3	04/23/1996 3
SA BA - Tank 5208	07/27/1995 ³	04/23/1996 3
SA BB - Tank 5225	07/27/1995 ³	04/23/1996 3
SA BE- Utility Sump	07/27/1995 ³	04/23/1996 3
SA BF - Wacker Sump	07/27/1995 ³	04/23/1996 3
SA BG - Waste Burner Sump	07/27/1995 ³	04/23/1996 3
SA BI - No. 1 Reaction Caustic Tank	07/27/1995 ³	04/23/1996 3
SA BJ - No. 2 Reaction Caustic Tank	07/27/1995 3	04/23/1996 3

TCEQ Solid Waste Registration No. 31108 Interoffice Memorandum dated October 1, 2005 Page 3

07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
09/19/1994 3	09/19/1994 3
11/13/1995 ³	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 ³
07/27/1995 3	04/23/1996 ³
07/27/1995 3	04/23/1996 ³
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 ³
07/27/1995 3	04/23/1996 ³
07/27/1995 3	04/23/1996 3
07/27/1995 3	04/23/1996 ³
05/22/1995 6	05/22/1995 6
07/27/1995 3	04/23/1996 3
09/24/1993 3	09/24/1993 ³
07/27/1995 3	04/23/1996 3
	07/27/1995 ³ 07/27/1995 ³ 07/27/1995 ³ 07/27/1995 ³ 09/19/1994 ³ 11/13/1995 ³ 07/27/1995 ³

TCEQ Solid Waste Registration No. 31108 Interoffice Memorandum dated October 1, 2005 Page 4

10/20/1992 ³	10/20/1992 3
07/27/1995 ³	04/23/1996 3
07/27/1995 ³	04/23/1996 3
07/27/1995 ³	04/23/1996 ³
07/27/1995 ³	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 ³	04/23/1996 3
11/13/1995 ³	04/23/1996 3
07/27/1995 ³	04/23/1996 3
07/27/1995 3	04/23/1996 3
07/27/1995 ³	04/23/1996 3
01/20/1995 3	01/20/1995 3
03/16/1995 3	03/16/1995 3
	07/27/1995 ³ 11/13/1995 ³ 07/27/1995 ³ 07/27/1995 ³ 07/27/1995 ³ 07/27/1995 ³ 07/27/1995 ³

To date, no additional units subject to corrective action requirements have been identified at the facility.

Maureen Hatfield

cc: Waste Program Manager, TCEQ Region 15 Office, Harlingen

Notes:

"The event when the state or EPA formally selects a remedy designed to meet RCRA Corrective Action long-term goals of protection of human health and the environment. This event code also applies when no further corrective action is required because stabilization measure(s) have already been implemented or because the site characterization has demonstrated the attainment of the long-term RCRA Corrective Action goals." See RCRAInfo Data Dictionary for complete event code definition. Each unit and AOC must have an approved remedy for this event code to apply facility-wide.

TÇEQ Solid Waste Registration No. 31108 Interoffice Memorandum dated October 1, 2005 Page 5

- "The event when the state or EPA acknowledges in writing that the RCRA facility has completed construction of a facility's remedy that was designed to achieve long-term protection of human health and the environment, and that the remedy is fully functional as designed, whether or not final cleanup levels or other requirements have been achieved. Remedy construction may also acknowledge the event where no remedy is constructed." See RCRAInfo Data Dictionary for complete event code definition. Each unit and AOC must have an approval of the remedy construction or approval of the decision that no physical construction is needed for this event code to apply facility-wide.
- Date confirmed through TCEQ correspondence review.
- ⁴ Date obtained from RCRAInfo database.
- 5 Date obtained from facility correspondence.
- ⁶ Date obtained from TCEQ database.

TCEQ Solid Waste Registration No. 31108
Interoffice Memorandum dated October 1, 2005
Page 6

DO NOT SEND THIS PAGE¹

bcc list (format revised 9/15/2004):

Lila Beckley (copy for GPRA (ides).

Mr. Donald Boothby, Team I Supervisor, Corrective Action Section (MC-127)

Central Records (MC-199)

CAS files (MC-127)

For data entry:

WWC COMMUNICATION ID:

N/A

This letter is (Pick one):

IOM

LBB (04 or 07, and number to count):

N/A

Reply from facility needed? If so, give reply due

N/A

date:

Document Review(s) Complete? (Yes/No)

N/A

WWC PROPERTY: CAS Status value changed for entire

N/A

facility (Put new status or n/a)²?

WWC FEATURE UPDATES (n/a, if not applicable)³:

N/A

Feature Name:

New Feature Status:

N/A

For entry into RCRAInfo: Number of units (n/a, if not

Entire Facility

applicable):

Corrective Action Codes (RFI units/areas) CA-

CA400, CA-550 and CA-999

or

Closure Codes (RCRA/Interim Status units) CL-

- 1. Only attach bcc page to the writer's copy and CAS File copy.
- 2. If facility will no longer be part of workload, change IHW CA 0 Fea status to Complete or Transferred, verify there are no ongoing PM-defined Features, and verify there are no outstanding Communications that need review.